

Refresh®



V_20231511



Refresh®

Classic outside, unbeatable inside

Refresh® drinking fountain is more hygienic and efficient than ever before. Perfect for high footfall environments such as schools, gyms, airports and museums, it's a truly unique floor standing dispenser.

Supremely **refreshing water** available night and day that is great tasting too, as it is filtered on dispense.

Simply ideal as ZERICA's exclusive **Silver Turbo Clean** high pressure refrigeration system ensures **maximum hygiene levels**. Connects to a drain to make it even more practical.

Refresh® is an **eco-friendly** solution that helps reduce your carbon footprint, eliminating the need for plastic bottles.

Discover just how easy it is **to take care of the environment whilst saving time and money**: say goodbye to managing heavy cases of water and plastic recycling. Eliminate the need to buy the plastic bottles in the first place.

Choose **Refresh®** and join ZERICA in promoting positive environmental messages as well as good hydration practices.

Use **Friska** water bottles with pride to help the environment every day and work to a world without plastic.

#BETHECHANGE



*NSF certified proprietary technology inside

Refresh® 260 inox

Refresh®

Enabling technologies & key benefits

Discover what we have in store for you...

Silver Turbo Clean

ZERICA's exclusive high pressure sealed refrigeration system with bacteriostatic silver welding. Upon dispense, a water vortex is generated internally preventing biofilm, residue, and bacteria proliferation so zero maintenance needs & no top-ups!

No Sanitize

The intelligent design of this product means that it does not need regular routine maintenance or sanitisation cleaning procedures to be carried out. Hygiene guaranteed and maintenance costs significantly reduced.

Stainless Steel

Cabinet made from stainless steel with a satin finish. Highly resistant, can be renovated and cleaned with specific dedicated products that preserve the finish.



Refresh[®]

Product focus



- 1 Gooseneck tap in chrome-plated brass
- 2 Bubbler tap in chrome-plated brass
- 3 Basin in AISI 304 stainless steel
- 4 430 stainless steel cabinet (optional externally plasticised galvanised steel)
- 5 Removable front panel for accessories (flow meter & filtration system)

Friska

Talking good hydration

Our bodies are about **60% water**, an obviously critical element to the optimal functionality of us all. Drinking enough water on a daily basis is, therefore, absolutely **essential** to stay in **good health**.

Correct hydration helps maintain the delicate equilibrium of fluids in the body, **regulates** temperature and **supports** the digestive system and kidneys. In addition, it **provides** us with energy, **improves** concentration and promotes healthy skin.

Using **Refresh at work and at the gym** contributes to your physical and mental wellbeing by ensuring good hydration habits as well as helping eliminate plastic from the environment a sip at a time.

Take **Friska** water bottles and carafes with you though your day and improve your health in an **eco-friendly** way.

Inspired by the Sicilian word 'frisca' (fresh) **Friska** is a new brand from **ZERICA** aimed at encouraging everyone to make healthy choices and respect our precious environment.

Hydrate the right way with ZERICA.



Refresh® 260 Skinplate

Technical specifications

Dispensing	Chilled
Refrigeration capacity	75 L/hr [‡]
Continuous	6 L [‡]
Water outlet temperature	3 °C ~ 12 °C
Refrigeration system	Silver Turbo Clean
Condensation method	Forced ventilation
Compressor power	1/8 Hp
Refrigerant gas	R600a
Adjustable temperature	✓
External cabinet	Plastic coated galvanized steel
Numero vie	2
Accessories supplied as standard	Gooseneck tap and bubbler tap schuko power cable
Inlets (push-fit)	8 mm F
Overflow	ID 18.7 mm
Mains water pressure	2.5 bar ~ 5 bar
Operating temperature	5 °C ~ 38 °C [§]
Energy consumption	1.3 A 175 W
Power supply voltage	230 V 50 Hz
Energy saving	✓
Volume	< 52 dB
Unit weight Shipping weight	24 kg 26 kg
Dimensions (cm) - W x D x H	31 x 31 x 98
Packaging dimensions (cm) - W x D x H	38 x 33 x 110
Units per pallet	6


Refresh® 260 Inox

Technical specifications

Dispensing	Chilled
Refrigeration capacity	75 L/hr [‡]
Continuous	6 L [‡]
Water outlet temperature	3 °C ~ 12 °C
Refrigeration system	Silver Turbo Clean
Condensation method	Forced ventilation
Compressor power	1/8 Hp
Refrigerant gas	R600a
Adjustable temperature	✓
External cabinet	Stainless steel
Numero vie	2
Accessories supplied as standard	Gooseneck tap and bubbler tap schuko power cable
Inlets (push-fit)	8 mm F
Overflow	ID 18.7mm
Mains water pressure	2.5 bar ~ 5 bar
Operating temperature	5 °C ~ 38 °C [§]
Energy consumption	1.3 A 175 W
Power supply voltage	230 V 50 Hz
Energy saving	✓
Volume	< 52 dB
Unit weight Shipping weight	24 kg 26 kg
Dimensions (cm) - W x D x H	31 x 31 x 98
Packaging dimensions (cm) - W x D x H	38 x 33 x 110
Units per pallet	6

Refresh[®]

Technical drawings



Refresh[®]

ZERICA reserves the right to make changes without prior notice.